

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/830

RE SNTAN MF-X

Date of issue : 17.04.2021

SDS NO :086.03

Revision Date : 04.02.2026

1) IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name : RE SNTAN MF-X
Product form : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Usage Area : Retannage filling material
Uses Not Recommended : All uses not specified in this section or section 7.3

1.3. Details of the supplier of the safety data sheet

KDK KİMYA DERİ GIDA İNŞ.SAN.TİC.LTD.ŞTİ

Deri Organize Sanayi Bölgesi Dilek Sokak No:6/2 10-10 Özel Parsel Tuzla,İstanbul /Türkiye

Tel: +90 216 394 10 85

info@kdkkimya.com - www.kdkkimya.com

1.4. Emergency telephone number: No additional information available

2) HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

Physicochemical	Not classified
Health	Not classified
Environmental Hazard	Not classified

2.2. Label elements

Hazard pictograms: Not classified

Signal words: Not classified

Hazard statements:

EUH210 Safety data sheet available on request.
EUH208 Contains: FORMALDEHYDE
May produce an allergic reaction.

Precautionary statements: Not classified

2.3. Other damages

No data available.

3) COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/830

RE SNTAN MF-X

Date of issue : 17.04.2021

SDS NO :086.03

Revision Date : 04.02.2026

3.2. Mixtures

Name	Product Identifier	%	1272/2008 (CLP)
Formaldehide	CAS No: 50-00-0 EC No: 200-001-8	0,01 < x 0,03	H350 - Carc. 1B H341 - Muta. 2 H301 - Acute Tox. 3 H311 - Acute Tox. 3 H331 - Acute Tox. 3 H314 - Skin Corr. 1B H318 - Eye Dam. 1 H317 - Skin Sens. 1 Classification note according to Annex VI to the CLP Regulation: B, D

Specific concentration limits:

FORMALDEHYDE (CAS No: 50-00-0)	Skin Corr. 1B H314: 25% ; Skin Irrit. 2 H315: 5% ; Skin Sens. 1 H317: 0,2% Eye Dam. 1 H318: 25% ; Eye Irrit. 2 H319: 5% ; LD50 Oral: 100 mg/l/4h, LD50 Dermal: 270 mg/l/4h, STA Inhalation mists/powders: 0,501 mg/l
--------------------------------	---

NOTE B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

The substances described above are not on the KDDIK Annex-17 Restricted Substances List.

(Note: Although formaldehyde is on Annex 17 of the restricted substances list, it is not subject to this restriction because it is used in the leather tanning industry.)

The substances described above are not on the SVHC (Substance of Very High Concern) List.

The substances described above are not on the ZDHC MRSL List.

Full text of the H statements: see Section 16

4) FIRST AID MEASURES

4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

5) FIREFIGHTING MEASURES

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/830

RE SNTAN MF-X

Date of issue : 17.04.2021

SDS NO :086.03

Revision Date : 04.02.2026

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6) ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7) HANDLING AND STORAGE**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/830

RE SNTAN MF-X

Date of issue : 17.04.2021
SDS NO :086.03

Revision Date : 04.02.2026

8) EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Regulatory References:

GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2021

FORMALDEHYDE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
WEL	GBR	2,5	2	2,5	2	
OEL	EU	0,37	0,3	0,74	0,6	
TLV-ACGIH			0,1		0,3	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m³; PNOC inhalable fraction: 10 mg/m³). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/830

RE SNTAN MF-X

Date of issue : 17.04.2021

SDS NO :086.03

Revision Date : 04.02.2026

RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

9) PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Appearance	Powder
Colour	White
Odour	Odourless
Odour threshold	Not available
pH	8,5±1
Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative Density	Not available
Solubility	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity, Dynamic	Not available
Explosive properties	Not available
Oxidising properties	Not available

9.2. Other information

Not available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/830

RE SNTAN MF-X

Date of issue : 17.04.2021

SDS NO :086.03

Revision Date : 04.02.2026

10) STABILITY AND REACTIVITY**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

FORMALDEHYDE

Decomposes under the effect of heat.

Acqueous solutions are stabilised with methanol but tend to polymerise over time.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The powders are potentially explosive when mixed with air.

FORMALDEHYDE

Risk of explosion on contact with: nitromethane,nitrogen dioxide,hydrogen peroxide,phenoles,performic acid,nitric acid.May polymerise on contact with: strong oxidising agents,alkalis.May react dangerously with: hydrochloric acid,magnesium carbonate,sodium hydroxide,perchloric acid,aniline.Forms explosive mixtures with: air.

10.4. Conditions to avoid

Avoid environmental dust build-up.

FORMALDEHYDE

Avoid exposure to: light,sources of heat,naked flames.

10.5. Incompatible materials

FORMALDEHYDE

Incompatible with: acids,alkalis,ammonia,tannin,strong oxidants,phenoles,copper salts,silver,iron.

10.6. Hazardous decomposition products

FORMALDEHYDE

When heated to decomposition releases: methanol,carbon monoxide.

11) TOXICOLOGICAL INFORMATION

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/830

RE SNTAN MF-X

Date of issue : 17.04.2021

SDS NO :086.03

Revision Date : 04.02.2026

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:	Not classified (no significant component)
ATE (Oral) of the mixture:	Not classified (no significant component)
ATE (Dermal) of the mixture:	Not classified (no significant component)

FORMALDEHYDE

LD50 (Dermal):	270 mg/kg Rabbit
LD50 (Oral):	100 mg/kg Rat
LC50 (Inhalation vapours):	0,588 mg/l/4h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

FORMALDEHYDE

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/830

RE SNTAN MF-X

Date of issue : 17.04.2021
SDS NO :086.03

Revision Date : 04.02.2026

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

12) ECOLOGICAL INFORMATION

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Information not available

12.2. Persistence and degradability

FORMALDEHYDE	
Solubility in water	55000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

FORMALDEHYDE	
Partition coefficient: n-octanol/water	0,35
BCF	< 1

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/830

RE SNTAN MF-X

Date of issue : 17.04.2021

SDS NO :086.03

Revision Date : 04.02.2026

12.4. Mobility in soil

FORMALDEHYDE

Partition coefficient: soil/water 1,202

12.5. Results of PBT and vPvB assessment

Information not available

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

13) DISPOSAL CONSIDERATIONS

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Contaminated Packaging

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14) TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN instructions

	Land transport ADR/RID	Marine transport IMDG	Air transport IATA-DGR
14.1 UN-No	The product is not classified as a dangerous good according to the regulations, regarding its transportation.		
14.2 Description of the goods	Not applicable	Not applicable	Not applicable
14.3 Transport hazard class(es)	Not applicable	Not applicable	Not applicable
14.4 Packaging group	Not applicable	Not applicable	Not applicable
14.5 Environmental hazards	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No

14.6 Special precautions for user

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/830

RE SNTAN MF-X

Date of issue : 17.04.2021

SDS NO :086.03

Revision Date : 04.02.2026

15) REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared according to Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Seveso Category - Directive 2012/18/EC

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Substances subject to authorisation (Annex XIV REACH)

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012

Healthcare control
Information not available

16) OTHER INFORMATION

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources: (EC) Regulation 1272/2008 (CLP). ECHA (European Chemicals Agency). Supplier's safety documents.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/830

RE SNTAN MF-X

Date of issue : 17.04.2021

SDS NO :086.03

Revision Date : 04.02.2026

Full text of H-statements

Carc. 1B	Carcinogenicity, category 1B
Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Skin Corr. 1B	Skin corrosion, category 1B
Skin Sens. 1	Skin sensitization, category 1
H350	May cause cancer.
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
EUH210	Safety data sheet available on request.

Revision information:	
Revision No:	01
Revision Date:	02.11.2023
Explanation:	Updated and revised upon company request.
Revision No:	02
Revision Date:	04.02.2026
Explanation:	-This safety data sheet has been revised in accordance with amendment Regulation (EU) 2020/878. -In Section 3, product content has been updated taking into account the manufacturer's declaration. The other sections of the safety data sheet were rearranged accordingly.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Information and belief at the date of its publication.

The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Product Safety Data Sheet to their own Product Safety Data Sheet.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary –even for the same product between different countries, reflecting the different compliance requirements.