

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

1) IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name : PACOTAN PA
Product form : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Usage : Leather production

1.3. Details of the supplier of the safety data sheet

KDK KİMYA DERİ GIDA İNŞ. SAN. TİC. LTD. ŞTİ
İstanbul Deri Organize Sanayi Bölgesi Dilek Sokak
No:6/2 10-10 Özel Parsel Tuzla/İstanbul /Türkiye
Tel: 0216 394 10 85
info@kdkkimya.com - www.kdkkimya.com

1.4. Emergency telephone number: No additional information available

2) HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Physical and Chemical Hazards	Not classified
Human Health Hazards	H314- Skin corrosion, category 1A H318- Serious eye damage, category 1 H332 - Acute toxicity, category 4
Environment Hazards	Not classified

2.2. Label elements

H Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms



Signal words: Danger

Hazard statements:

H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
EUH071	Corrosive to the respiratory tract.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

Precautionary statements:

P102	Keep out of reach of children.
P260	Do not breathe dust / fume / gas / mist / vapours / spray.
P261	Avoid breathing dust / fume / gas / mist / vapours / spray.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Keep under lock.
P501	Dispose of contents/container according to local regulations..

Contains: Formik Asit
 Sulfürik Asit

2.3. Other damages

No data available.

3) COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	1272/2008 (CLP)
Sulphuric Acid	CAS No: 7664-93-9 EC No: 231-639-5	< 20	Skin Corr. 1A H314, Eye Dam. 1 H318, Classification note according to Annex VI to the CLP Regulation: B Specific Concentration Limit Values: Skin Corr. 1A H314: 15%, Skin Irrit. 2 H315: 5%, Eye Dam. 1 H318: 15%, Eye Irrit. 2 H319: 5%
Formic Acid	CAS No: 64-18-6 EC No: 200-579-1	< 10	Flam. Liq. 3 H226, Acute Tox. 3 H331, Acute Tox. 4 H302, Skin Corr. 1A H314, Eye Dam. 1 H318, EUH071, Classification note according to Annex VI to the CLP Regulation: B Specific Concentration Limit Values: Skin Corr. 1A H314: 90%, Skin Corr. 1B H314: 10%, Skin Irrit. 2 H315: 2%, Eye Dam. 1 H318: 10%, Eye Irrit. 2 H319: 2%

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

Carboxylic acid-di C4-C6	CAS: 68603-87-3	< 0,4	Eye Dam. 1 H318,
Polimer	CAS No: - EC No:-	<5	Eye Irrit. 2 H319, Skin Irrit. 2 H315, Aquatic Chronic 3 H412

NOTE B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

The substances with the content given above is not on the ANNEX-17-Restricted Substances List.
The substances with the content given above is not on the SVHC (Substance of Very High Concern) List.
The substances with the content given above is not on the ZDHC MRSL List.
Full text of H statements: see Section 16

4) FIRST AID MEASURES

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

5) FIREFIGHTING MEASURES

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6) ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7) HANDLING AND STORAGE**7.1. Precautions for safe handling**

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

8) EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Regulatory References:

TUR	Türkiye	Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik 12.08.2013 / 28733
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2021

FORMIC ACID

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
ESD	TUR	9	5			
WEL	GBR	9,6	5			
OEL	EU	9	5			
TLV-ACGIH		9,4	5	18,8	10	

SULPHURIC ACID

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
ESD	TUR	0,05				
WEL	GBR	0,05				THORA
OEL	EU	0,05				THORA
TLV-ACGIH		0,2				THORA

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344).

Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

9) PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Light Red
Odour	Odourless
Odour threshold	Not available
pH	1,5±1
Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability	Not available
Vapour pressure	Not available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

Vapour density	Not available
Relative Density	Not available
Solubility	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity, Dynamic	Not available
Explosive properties	Not available
Oxidising properties	Not available

9.2. Other information

There is no information.

10) STABILITY AND REACTIVITY

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

FORMIC ACID

Decomposes under the effect of heat. Attacks various types of plastic materials.

At room temperature it can release carbon monoxide.

SULPHURIC ACID

Decomposes at 450°C/842°F.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

FORMIC ACID

Risk of explosion on contact with: sodium hypochlorite, nitromethane, hydrogen peroxide, furfuryl alcohol. May react dangerously with: alkaline hydroxides, alkaline earth hydroxides, aluminium, palladium-carbon, oxidising agents, phosphorus pentoxide, nitric acid, concentrated sulphuric acid, trihydrate thallium trinitrate. May react dangerously if exposed to: heat. Forms explosive mixtures with: air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

FORMIC ACID

Avoid exposure to: light, sources of heat, naked flames.

10.5. Incompatible materials

FORMIC ACID

Incompatible with: strong oxidants, strong bases, sulphuric acid, furfurylic acid.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

SULPHURIC ACID

Incompatible with: flammable substances, reducing substances, basic substances, metals, organic substances, water.

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

FORMIC ACID

May develop: carbon monoxide, hydrogen.

SULPHURIC ACID

May develop: sulphur oxides.

11) TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

Corrosive to the respiratory tract.

ATE (Inhalation - mists / powders) of the mixture:	4,36 mg/l
ATE (Inhalation - vapours) of the mixture:	> 20 mg/l
ATE (Inhalation - gas) of the mixture:	0,0 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	Not classified (no significant component)

FORMIC ACID

STA (Oral):	500 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
STA (Inhalation mists/powders):	0,501 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
STA (Inhalation vapours):	3 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

SULPHURIC ACID

LD50 (Oral): 2140 mg/kg Rat

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

12) ECOLOGICAL INFORMATION

12.1. Toxicity

Information not available

12.2. Persistence and degradability

FORMIC ACID

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

SULPHURIC ACID

Solubility in water 1000 - 10000 mg/l

Degradability: information not available

12.3. Bioaccumulative potential

FORMIC ACID

Partition coefficient: n-octanol/water -2,1

12.4. Mobility in soil

FORMIC ACID

Partition coefficient: soil/water < 1,25

12.5. Results of PBT and vPvB assessment

Information not available

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

13) DISPOSAL CONSIDERATIONS

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.




Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Contaminated Packaging

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14) TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN instructions

	Land transport ADR/RID	Marine transport IMDG	Air transport IATA-DGR
14.1 UN-No	1760	1760	1760
14.2 Description of the goods	CORROSIVE LIQUID, N.O.S. (Sulfuric Acid, Formic Acid)	CORROSIVE LIQUID, N.O.S. (Sulfuric Acid, Formic Acid)	CORROSIVE LIQUID, N.O.S. (Sulfuric Acid, Formic Acid)
14.3 Transport hazard class(es)	Sınıf: 8 Etiket: 8 	Sınıf: 8 Etiket: 8 	Sınıf: 8 Etiket: 8 
14.4 Packaging group	II	II	II
14.5 Environmental hazards	Dangerous for the environment: No	Marine pollutant: No	Dangerous for the environment: No

14.6 Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 1 L	Tunnel restriction code: (E)
	Special provision: 274		
IMDG:	EMS: F-A, S-B	Limited Quantities: 1 L	
IATA:	Cargo:	Maximum quantity: 30 L	Packaging instructions: 855
	Pass.:	Maximum quantity: 1 L	Packaging instructions: 851
	Special provision:	A3, A803	

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

15) REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared according to Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Seveso Category - Directive 2012/18/EC

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Substances subject to authorisation (Annex XIV REACH)

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012

Healthcare control

Information not available

16) OTHER INFORMATION

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources: (EC) Regulation 1272/2008 (CLP). ECHA (European Chemicals Agency). Supplier's safety documents.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

PACOTAN PA

Date of issue : 05.02.2026

SDS NO : 218.01

Revision Date :-

Full text of H-statements

Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1A	Skin corrosion, category 1A
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H226	Flammable liquid and vapour.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Information and belief at the date of its publication.

The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Product Safety Data Sheet to their own Product Safety Data Sheet.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary –even for the same product between different countries, reflecting the different compliance requirements.