

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026

SDS No:229.01

Revision date: -

1) IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name : SOFTOIL MTR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Usage Area : Retenage material

Uses Not Recommended : All uses not specified in this section or section 7.3

1.3. Details of the supplier of the safety data sheet

Importer/Distributor: KDK KİMYA DERİ GIDA İNŞ.SAN.TİC.LTD.ŞTİ

Deri Organize Sanayi Bölgesi Dilek Sokak No:6/2 10-10 Özel Parsel Tuzla, İstanbul /Türkiye

Tel: +90 216 394 10 85

info@kdkkimya.com - www.kdkkimya.com

1.4. Emergency telephone number: No additional information available

2) HAZARDS IDENTIFICATION

2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP]

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Physical and Chemical Hazards	Not classified
Human health	H315- Skin irritation, category 2 H317- Skin sensitization, category 1 H318- Serious eye damage, category 1
Environment	Not classified

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements. Hazard pictograms:



GHS 05

GHS 07

Signal words:

Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026
SDS No:229.01

Revision date: -

Hazard statements:

H318 Causes serious eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

Precautionary statements:

P102 Keep out of reach of children.
P261 Avoid breathing dust / fume / gas / mist / vapours / spray.
P264 Wash skin/hands thoroughly after handling.
P280 Wear protective gloves / protective clothing / eye protection / face protection.
P302+P352 IF ON SKIN: Wash with plenty of water
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER / doctor
P333+P313 If skin irritation or rash occurs: Get medical advice / attention.

P362+P364 Take off contaminated clothing and wash it before reuse.
Contains: 2-aminoethanol
Alkenes, C11-14, hydroformylation products, distn. residues, reaction products with maleic anhydride and sodium bisulfite, sodium salts

2.3. Other hazards

This mixture does not contain substances considered PBT or vPvB.

3) COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable.

3.2. Mixtures

Name	Product Identifier	%	1272/2008 (CLP)
Alkenes, C11-14, hydroformylation products, distn. residues, reaction products with maleic anhydride and sodium bisulfite, sodium salts	CAS No: - EC No: 938-654-2	$50 \leq x \leq 75$	Eye Irrit. 2 H319, Skin Sens. 1 H317
(2-(2-bütoksietoksi)etanol	CAS No: 112-34-5 EC No: 203-961-6	≤ 10	Eye Irrit. 2 H319
2-aminoethanol	CAS No: 141-43-5 EC No: 205-483-3	< 5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
Monoethanolamine oleate	CAS No: 2272-11-9	≤ 3	Göz Tah. 2 H319
Alcohols, C16-18, ethoxylated	CAS No: 68439-49-6	≤ 3	Eye Irrit. 2 H319

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026

SDS No:229.01

Revision date: -

1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	CAS No: 6846-50-0 EC No: 229-934-9	≤ 0.3	Repr. 2 H361d, Aquatic Chronic 3 H412
--	---------------------------------------	-------	--

The substances described above are not on the KKDIK Annex-17 Restricted Substances List.

The substances described above are not on the SVHC (Substance of Very High Concern) List.

The substances described above are not on the ZDHC MRSL List.

Full text of the H statements: see Section 16

4) FIRST AID MEASURES

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available.

5) FIREFIGHTING MEASURES

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6) ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026
SDS No:229.01

Revision date: -

sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7) HANDLING AND STORAGE

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available.

8) EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Regulatory References:

TUR	Türkiye	Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik 12.08.2013 / 28733
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2021

2-aminoethanol

Threshold Limit Value

Type	Country	TWA/8h	STEL/15min	Remarks / Observatio
------	---------	--------	------------	----------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026

SDS No:229.01

Revision date: -

						ns
		mg/m3	ppm	mg/m3	ppm	
ESD	TUR	2,5	1	7,6	3	SKIN
WEL	GBR	2,5	1	7,6	3	SKIN
OEL	EU	2,5	1	7,6	3	SKIN
TLV-ACGIH		7,5	3	15	6	

2-(2-BUTOXYETHOXY)ETHANOL

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
ESD	TUR	67,5	10	101,2	15	
WEL	GBR	67,5	10	101,2	15	
OEL	EU	67,5	10	101,2	15	
TLV-ACGIH		66	10			INHAL

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

Hand Protection

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Skin Protection

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344).

Wash body with soap and water after removing protective clothing.

Eye Protection

Wear airtight protective goggles (see standard EN 166).

Respiratory Protection

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026
SDS No:229.01

Revision date: -

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

Environmental Exposure Controls

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

9) PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Product Type	Not available
Colour	Colorless, yellowish
Odour	Ester Scented
Odour threshold	Not available
pH	6,5 ±1
Melting point / Freezing point	Not available
Boiling point	Not available
Boiling range	Not available
Flash point	Not available
Density	Not available
Relative density	Not available
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Lower flammability limit	Not available
Upper flammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Ignition temperature	Not available
Vapour pressure	Not available
Relative vapour density	Not available
Solubility in water	Not available
Viscosity, dynamic	Not available
Viscosity, kinematic	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026

SDS No:229.01

Revision date: -

Decomposition temperature	Not available
Explosive properties	Not available
Oxidizing properties	Not available.

9.2. Other information

Information not available

10) STABILITY AND REACTIVITY

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-aminoethanol

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

2-(2-BUTOXYETHOXY)ETHANOL

May react with: oxidising substances. May form peroxides with: oxygen. Develops hydrogen on contact with: aluminium. May form explosive mixtures with: air.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-aminoethanol

Avoid exposure to: air, sources of heat.

2-(2-BUTOXYETHOXY)ETHANOL

Avoid exposure to: air.

10.5. Incompatible materials

2-aminoethanol

Incompatible with: iron, strong acids, strong oxidants.

2-(2-BUTOXYETHOXY)ETHANOL

Incompatible with: oxidising substances, strong acids, alkaline metals.

10.6. Hazardous decomposition products

2-aminoethanol

May develop: nitric oxide, carbon oxides.

2-(2-BUTOXYETHOXY)ETHANOL

May develop: hydrogen.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026

SDS No:229.01

Revision date: -

11) TOXICOLOGICAL INFORMATION

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

2-(2-BUTOXYETHOXY)ETHANOL

WORKERS: inhalation; contact with the skin.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

2-(2-BUTOXYETHOXY)ETHANOL

May be absorbed by inhalation, ingestion and skin contact; is irritating for the skin and especially for the eyes. May cause damage to the spleen. At room temperature the danger of inhalation is unlikely, due to the low vapour pressure of the substance.

Interactive effects

Information not available

Acute Toxicity

ATE (Inhalation - mists / powders) of the mixture:	> 5 mg/l
ATE (Inhalation - vapours) of the mixture:	> 20 mg/l
ATE (Inhalation - gas) of the mixture:	0,0 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	>2000 mg/kg

2-aminoethanol

STA (Oral):	500 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
STA (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
STA (Inhalation mists/powders):	1,5 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
STA (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026
SDS No:229.01

Revision date: -

2-(2-BUTOXYETHOXY)ETHANOL

LD50 (Dermal): 2700 mg/kg Rabbit
LD50 (Oral): 3384 mg/kg Rat

Skin Corrosion / Irritation

Causes skin irritation

Serious Eye Damage / Irritation

Causes serious eye damage

Respiratory or Skin Sensitisation

Sensitising for the skin

Respiratory Sensitization

Information not available

Skin Sensitization

Information not available

Germ Cell Mutagenicity

Does not meet the classification criteria for this hazard class

Carcinogenicity

Does not meet the classification criteria for this hazard class

Reproductive Toxicity

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects On or Via Lactation

Information not available

STOT - Single Exposure

Does not meet the classification criteria for this hazard class

Target Organs

Information not available

Route of Exposure

Information not available

STOT - Repeated Exposure

Does not meet the classification criteria for this hazard class

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026
SDS No:229.01

Revision date: -

Target Organs

Information not available

Route of Exposure

Information not available

Aspiration Hazard

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

12) ECOLOGICAL INFORMATION

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Information not available

12.2. Persistence and degradability

2-aminoethanol	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

2-(2-BUTOXYETHOXY)ETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

2-aminoethanol	
Partition coefficient: n-octanol/water	-2,3

2-(2-BUTOXYETHOXY)ETHANOL	
Partition coefficient: n-octanol/water	1

12.4. Mobility in soil

2-aminoethanol	
Partition coefficient: soil/water	-0,5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage than 0,1%.

12.6. Other adverse effects

Information not available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026

SDS No:229.01

Revision date: -

13) DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14) TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN instructions

	Land transport ADR/RID	Marine transport IMDG	Air transport IATA-DGR
14.1 UN-No	Not applicable	Not applicable	Not applicable
14.2 Description of the goods	Not applicable	Not applicable	Not applicable
14.3 Transport hazard class(es)	Not applicable	Not applicable	Not applicable
14.4 Packaging group	Not applicable	Not applicable	Not applicable
14.5 Environmental hazards	Not applicable	Not applicable	Not applicable

14.6 Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15) REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared according to Commission Regulation (EU) 2020/878 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Seveso Category - Directive 2012/18/EC

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Substances subject to authorisation (Annex XIV REACH)

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026

SDS No:229.01

Revision date: -

16) OTHER INFORMATION

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources: (EC) Regulation 1272/2008 (CLP). ECHA (European Chemicals Agency). Supplier's safety documents.

Full text of H-statements

Repr. 2	Reproductive toxicity, category 2
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL MTR

Date of Issue: 07.02.2026

SDS No:229.01

Revision date: -

Skin Sens. 1	Skin sensitization, category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H361d	Suspected of damaging the unborn child.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Information and belief at the date of its publication.

The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Product Safety Data Sheet to their own Product Safety Data Sheet.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary –even for the same product between different countries, reflecting the different compliance requirements.