

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue:11.09.2024

SDS No:195.02

Revision date:02.05.2025

1) IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name : SOFTOIL SXP
Product Form : Liquid Mixture
Product Type : Oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

Usage Area : Leather Industry
Purpose of Usage : SOFTOIL SXP is generally produced for dry cabinet Floather, furniture and dress leathers and is an oil that gives softness and especially lightness to the leather. It can be used alone or in combination with other oils. Leathers oiled with SOFTOIL SXP give a pleasant silky and warm touch. It can be used in alkaline and acidic environments. It is not affected by hard and alkaline salts.
*Very good light fastness and resistant to yellowing.
*Very suitable for white and pastel leathers.
*Very soft and light leather is obtained.
*It is perfectly compatible with other oils.
*A silky touch is obtained.
*Very good writing effect is obtained in suede leathers.
Uses Not Recommended : All uses not specified in this section or section 7.3

1.3. Details of the supplier of the safety data sheet

KDK KİMYA DERİ GIDA İNŞ.SAN.TİC.LTD.ŞTİ
İstanbul Deri Organize Sanayi Bölgesi Dilek Sokak No:6/2 10-10 Özel Parsel Tuzla/İstanbul
Tel: 0216 394 10 85
info@kdkkimya.com - www.kdkkimya.com

1.4. Emergency telephone number: No additional information available

2) HAZARDS IDENTIFICATION

2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP]

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Physical and Chemical Hazards	Not classified
Human health	H319- Eye Irritation, category 2 H315- Skin Irritation, category 2 H317- Skin sensitization, category 1
Environment	Not classified

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements. Hazard pictograms:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue: 11.09.2024

SDS No: 195.02

Revision date: 02.05.2025

**GHS 07**

Signal words:	Danger
Hazard statements:	
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
EUH208	Contains: Alkenes, C11-14, hydroformylation products, distn. residues, reaction products with maleic anhydride and sodium bisulfite, sodium salts/ Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione/2-octyl-2H-isothiazol-3-one bet DSN

Precautionary statements:

P280	Wear protective gloves / eye protection / face protection.
P337+P313	If eye irritation persists: Get medical advice/attention.
P261	Avoid breathing dust / fume / gas / mist / vapours / spray.
P264	Wash skin/hands thoroughly after handling.
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice / attention.
P302+P352	IF ON SKIN: Wash with plenty of water / soap
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents / container in accordance with national regulations.

Contains:	Alkenes, C11-14, hydroformylation products, distn. residues, reaction products with maleic anhydride and sodium bisulfite, sodium salts 2-oktil-2H-izotiyazol-3-on bet DSN Tetrahidro-1,3,4,6-tetrakis(hidroksimetil)imidazo[4,5-d]imidazol-2,5(1H,3H)-dion
------------------	---

2.3. Other hazards

This mixture does not contain substances considered PBT or vPvB.

3) COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable.

3.2. Mixtures

Name	Product Identifier	%	1272/2008 (CLP)
Alkenes, C11-14, hydroformylation products, distn. residues, reaction products with maleic anhydride and sodium bisulfite, sodium salts	CAS No: - EC No: 938-654-2	x < 50	Eye Irrit. 2 H319, Skin Sens. 1 H317

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue: 11.09.2024

SDS No: **195.02**

Revision date: 02.05.2025

Butanedioic acid, sulfo-, C-C10-18-alkyl esters, disodium salts, ethoxylated (polymer)	CAS No: 115535-37-0 EC No: -	x < 9	Eye Irrit. 2 H319,
* • 2-(2-butoxyethoxy)ethanol	CAS No: 112-34-5 EC No: 203-961-6	x < 8	Eye Irrit. 2 H319
Benzene, mono-C10-13-alkyl derivatives, distn. residues	CAS No: 84961-70-6	x < 3,5	Asp. Tok. 1 H304
Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione	CAS No: 5395-50-6 EC No: 226-408-0	x < 0,35	Skin Sensitive. 1 H317
Fatty acids, tall-fat, C12-15-alkyl esters, sulfated, sodium salts	CAS No: 68424-50-0	x < 2	Aquatic Chronic 3 H412
• 2-amino-ethanol	CAS No: 141-43-5 EC No: 205-483-3	x < 3	Acute Tox. 4H302, Acute Tox. 4H312, Acute Tox. 4H332, Skin Corrosion. 1B H314, Eye Damage. 1H318, STOT Disposable. 3H335, Aquatic Chronic 3 H412
Alcohols, C16-18, ethoxylated	CAS No: 68439-49-6	x < 2	Eye Irrit. 2 H319
Monoetanolamin oleat	CAS No: 2272-11-9	x < 2	Eye Irrit. 2 H319
Oleic acid, ethoxylated	CAS No: 9004-96-0	x < 1,5	Aquatic Chronic 3 H412
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	CAS No: 6846-50-0 EC No: 229-934-9	x < 0,2	Repr.Sys.Tox. 2 H361d, Aquatic Chronic 3 H412
2-octyl-2H-isothiazol-3-one bet DSN	CAS No: 26530-20-1 EC No: 247-761-7	x < 0,05	Acute Tox. 2 H330, Acute Tox. 3 H311, Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

*CAS No: 112-34-5 substance is included in KKDIIK ANNEX-17-Restricted Substances List, but this restriction applies to aerosols.

The substances listed above are not included in KKDIIK ANNEX-17-Restricted Substances List.

The substances listed above are not included in SVHC (Substance of Very High Concern) List.

The substances listed above are not included in ZDHC MRSL List.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

•Occupational Exposure Limit Values are listed in Section 8 if available.

4) FIRST AID MEASURES

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue:11.09.2024

SDS No:195.02

Revision date:02.05.2025

4.3. Indication of any immediate medical attention and special treatment needed

Information not available.

5) FIREFIGHTING MEASURES

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6) ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7) HANDLING AND STORAGE

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue:11.09.2024

SDS No:**195.02**

Revision date:02.05.2025

containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

SHELF LIFE: 14 months - in its original packaging.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available.

8) EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Regulatory References:

TUR	Türkiye	Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik 12.08.2013 / 28733
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2021

2-aminoethanol

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
ESD	TUR	2,5	1	7,6	3	SKIN
WEL	GBR	2,5	1	7,6	3	SKIN
OEL	EU	2,5	1	7,6	3	SKIN
TLV-ACGIH		7,5	3	15	6	

2-(2-BUTOXYETHOXY)ETHANOL

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
ESD	TUR	67,5	10	101,2	15	
WEL	GBR	67,5	10	101,2	15	
OEL	EU	67,5	10	101,2	15	
TLV-ACGIH		66	10			INHAL

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue:11.09.2024

SDS No:195.02

Revision date:02.05.2025

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

Hand Protection

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Skin Protection

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

Eye Protection

Wear airtight protective goggles (see standard EN 166).

Respiratory Protection

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

Environmental Exposure Controls

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

9) PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid – Thick, fluid
Product Type	Oil
Colour	Dark orange
Odour	Lightly scented
Odour threshold	Not available
pH	6-6,5 %10Sol
Melting point / Freezing point	Not available
Boiling point	Not available
Boiling range	Not available
Flash point	Not available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue: 11.09.2024

SDS No: 195.02

Revision date: 02.05.2025

Density	Not available
Relative density	Not available
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Ignition temperature	Not available
Vapour pressure	Not available
Relative vapour density	Not available
Solubility in water	Not available
Viscosity, dynamic	Not available
Viscosity, kinematic	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Explosive properties	Not available
Oxidizing properties	Not available.

9.2. Other information

Active Ingredient: 55 ± 2

10) STABILITY AND REACTIVITY

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-aminoethanol

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

2-(2-BUTOXYETHOXY)ETHANOL

May react with: oxidising substances. May form peroxides with: oxygen. Develops hydrogen on contact with: aluminium. May form explosive mixtures with: air.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-aminoethanol

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue: 11.09.2024

SDS No: **195.02**

Avoid exposure to: air, sources of heat.

2-(2-BUTOXYETHOXY)ETHANOL

Avoid exposure to: air.

Revision date: 02.05.2025

10.5. Incompatible materials

2-aminoethanol

Incompatible with: iron, strong acids, strong oxidants.

2-(2-BUTOXYETHOXY)ETHANOL

Incompatible with: oxidising substances, strong acids, alkaline metals.

10.6. Hazardous decomposition products

2-aminoethanol

May develop: nitric oxide, carbon oxides.

2-(2-BUTOXYETHOXY)ETHANOL

May develop: hydrogen.

11) TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

2-(2-BUTOXYETHOXY)ETHANOL

WORKERS: inhalation; contact with the skin.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

2-(2-BUTOXYETHOXY)ETHANOL

May be absorbed by inhalation, ingestion and skin contact; is irritating for the skin and especially for the eyes. May cause damage to the spleen. At room temperature the danger of inhalation is unlikely, due to the low vapour pressure of the substance.

Interactive effects

Information not available

Acute Toxicity

2-aminoethanol

STA (Oral): 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

STA (Inhalation mists/powders): 1,5 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

2-(2-BUTOXYETHOXY)ETHANOL

LD50 (Dermal): 2700 mg/kg Rabbit



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue:11.09.2024

SDS No:195.02

LD50 (Oral):

3384 mg/kg Rat

Revision date:02.05.2025

Skin Corrosion / Irritation

Causes skin irritation

Serious Eye Damage / Irritation

Causes serious eye damage

Respiratory or Skin Sensitisation

Information not available

Respiratory Sensitization

Information not available

Skin Sensitization

Information not available

Germ Cell Mutagenicity

Does not meet the classification criteria for this hazard class

Carcinogenicity

Does not meet the classification criteria for this hazard class

Reproductive Toxicity

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects On or Via Lactation

Information not available

STOT - Single Exposure

Does not meet the classification criteria for this hazard class

Target Organs

Information not available

Route of Exposure

Information not available

STOT - Repeated Exposure

Does not meet the classification criteria for this hazard class

Target Organs

Information not available

Route of Exposure

Information not available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue:11.09.2024

SDS No:195.02

Revision date:02.05.2025

Aspiration Hazard

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

12) ECOLOGICAL INFORMATION

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Information not available

12.2. Persistence and degradability

2-aminoethanol	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	
2-(2-BUTOXYETHOXY)ETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

2-aminoethanol	
Partition coefficient: n-octanol/water	-2,3
2-(2-BUTOXYETHOXY)ETHANOL	
Partition coefficient: n-octanol/water	1

12.4. Mobility in soil

2-AMINO-ETANOL	
Dağılım katsayısı: Toprak/su	-0,5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage than 0,1%.

12.6. Other adverse effects

Information not available

13) DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14) TRANSPORT INFORMATION

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue:11.09.2024

SDS No:195.02

Revision date:02.05.2025

In accordance with ADR / RID / IMDG / IATA / ADN instructions

	Land transport ADR/RID	Marine transport IMDG	Air transport IATA-DGR
14.1 UN-No	Not applicable	Not applicable	Not applicable
14.2 Description of the goods	Not applicable	Not applicable	Not applicable
14.3 Transport hazard class(es)	Not applicable	Not applicable	Not applicable
14.4 Packaging group	Not applicable	Not applicable	Not applicable
14.5 Environmental hazards	Not applicable	Not applicable	Not applicable

14.6 Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15) REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared according to Commission Regulation (EU) 2020/878 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Seveso Category - Directive 2012/18/EC

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Substances subject to authorisation (Annex XIV REACH)

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

16) OTHER INFORMATION

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue: 11.09.2024

SDS No: **195.02**

Revision date: 02.05.2025

IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources: (EC) Regulation 1272/2008 (CLP). ECHA (European Chemicals Agency). Supplier's safety documents.

Full text of H-statements

Reproductive System Tox. 2 Reproductive System Tox., Category 2

Acute Tox. 2 Acute Tox., Category 2

Acute Tox. 3 Acute Tox., Category 3

Acute Tox. 4 Acute Tox., Category 4

Asp. Tox. 1 Aspiration Hazard, Category 1

Skin Corrosion 1B Skin Corrosion, Category 1B

Eye Irrit. 2 Eye Irritation, Category 2

Skin Irrit. 2 Skin Irritation, Category 2

STOT SE 3 Specific Target Organ Toxicity, Single Exposure, Category 3

Skin Sens. 1 Sensitization-Skin, Category 1

Skin Sens. 1A Sensitization-Skin, Category 1A

Aquatic Acute 1 Hazardous to the Aquatic Environment - Acute, Category 1

Aquatic Chronic 1 Hazardous to the Aquatic Environment - Chronic, Category 1

H361d Suspected of damaging the unborn child.

H330 Fatal if inhaled.

H311 Toxic in contact with skin.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
with its amendment Regulation (EU) 2020/878

SOFTOIL SXP

Date of Issue:11.09.2024

SDS No:**195.02**

Revision date:02.05.2025

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Revision Information:

Revision No:	01
Revision Date:	02.05.2025
Explanation:	The content was changed with the company statement. Therefore, the safety data sheet was revised.

Correct to the best of our knowledge, Information and belief at the date of its publication.

The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Product Safety Data Sheet to their own Product Safety Data Sheet.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that

the appearance and content of the SDS may vary –even for the same product between different countries, reflecting the different compliance requirements.